


RSO Northern Lights

Sample ID: 1811CSALA1558.5222
Strain: RSO Northern Lights
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 11/26/2018
Received: 11/26/2018
Completed: 11/27/2018
Batch#:

Client
Ricksimpsonoil California
Lic. #
Murrieta, CA 92562



Cannabinoids

	Analyte	LOD	LOQ	Mass	Mass
		%	%	%	mg/g
Complete					
Testing method: HPLC-SOP 101	THCa	0.0000	0.0001	ND	ND
	Δ9-THC	0.0000	0.0001	78.6270	786.270
	Δ8-THC	0.0001	0.0002	ND	ND
	THCV	0.0001	0.0002	0.5980	5.980
	CBDa	0.0000	0.0001	ND	ND
	CBD	0.0000	0.0001	ND	ND
	CBDV	0.0001	0.0002	ND	ND
	CBN	0.0000	0.0001	0.5540	5.540
	CBGa	0.0001	0.0002	ND	ND
	CBG	0.0001	0.0002	1.6780	16.780
	CBC	0.0000	0.0001	1.1030	11.030
	Total			82.5600	825.600

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Iniobong Afia
Executive Lab Director
11/27/2018

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



RSO Northern Lights

Sample ID: 1811CSALA1558.5222
Strain: RSO Northern Lights
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 11/26/2018
Received: 11/26/2018
Completed: 11/27/2018
Batch#:

Client
Ricksimpsonoil California
Lic. #
Murrieta, CA 92562

Residual Solvents

	Analyte	LOD	LOQ	Limit	Mass	Status
		PPM	PPM	PPM	PPM	
Pass						
Testing method: HSGCMS-SOP 202	1,2-Dichloro-Ethane	0.100	30.000	0.100	ND	Pass
	Acetone	3.800	250.000	3100.000	<LOQ	Pass
	Acetonitrile	0.500	1.000	6.000	ND	Pass
	Benzene	0.000	12.000	0.000	ND	Pass
	Butane	0.800	2500.000	5000.000	ND	Pass
	Chloroform	0.100	360.000	0.100	ND	Pass
	Ethanol	3.800	2500.000	5000.000	<LOQ	Pass
	Ethyl-Acetate	3.800	2500.000	5000.000	ND	Pass
	Ethyl-Ether	3.400	2500.000	5000.000	ND	Pass
	Ethylene Oxide	0.200	300.000	0.200	ND	Pass
	Heptane	4.500	2500.000	5000.000	ND	Pass
	Isopropanol	4.600	100.000	320.000	ND	Pass
	Methanol	5.300	200.000	400.000	<LOQ	Pass
	Methylene-Chloride	0.900	2500.000	0.900	ND	Pass
	n-Hexane	0.400	70.000	290.000	ND	Pass
	Pentane	3.900	2500.000	5000.000	ND	Pass
	Propane	0.300	2500.000	5000.000	ND	Pass
	Toluene	1.700	30.000	30.000	ND	Pass
	Trichloroethene	0.100	480.000	0.100	ND	Pass
	Xylenes	2.400	10.000	10.000	ND	Pass

Date Tested: 11/27/2018

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Iniobong Afia
Executive Lab Director
11/27/2018

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

