

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier:

Product Name	Remotox [®]
Chemical Family	Inorganic Salt Solution
CAS-No.	1344-81-6
Formula	CaS _x

1.2 Recommended use of the substance or mixture

Identified Uses Industrial use. Heavy metal fixation agent.

1.3 Details of the supplier of the safety data sheet

Company Graus Chemicals, LLC
P.O. Box 5445
Glendale, AZ 85312
1-623-328-5175
info@grauschemicals.com

1.4 Emergency phone number

1-888-255-3924 | CHEMTEL

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

Acute toxicity – oral	Category 4
Acute toxicity – dermal	Category 4
Acute toxicity – inhalation	Category 4
Skin corrosion/irritation	Category 2
Eye damage/irritation	Category 1

2.2 GHS-US labeling

Signal word Danger!

Hazard statement(s)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.

Symbol(s)



Precautionary statement(s)

P221	Take any precaution to avoid mixing with combustibles/acids/oxidizers.
P261	Avoid breathing dust/fumes/gas/mist/vapors/spray.
P233	Keep containers tightly closed.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment – if this is not the intended use.
P280	Wear protective gloves/eye protection/face shield.
P410	Store in a well-ventilated place and out of direct sunlight.
P501	Dispose of contents/container in accordance with local, state and federal regulations.

Unclassified hazard(s) Acute aquatic toxicity

Unknown acute toxicity ingredient None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance/Mixture

Chemical Name	Synonyms	Formula	CAS No.	EINECS No.	% by weight
Calcium Polysulfide	Lime Sulfur, Calcium Sulfide	CaS _x /KS _x	1344-81-6	215-709-2	26-34
Water	Water	H ₂ O	7732-18-5	231-791-2	Remaining

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact	Rinse immediately (the exposed eyes) with lukewarm, gently flowing water for at least 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get immediate medical advice/attention.
Skin contact	Wash immediately with soap and plenty of water. Rinse for at least 15 minutes. Remove contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Call a POISON CENTER or doctor/physician immediately. Drink a small amount of water or milk. Do not induce vomiting unless instructed by poison control or a medical professional.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get immediate medical advice/attention.


4.2 Most important symptoms and effects both acute and delayed

Acute	Eyes: Symptoms may include burns or irritation to the eyes. Skin: Repeated or prolonged contact may cause dryness, cracking and dermatitis. Inhalation: Symptoms may include irritation to the respiratory tract. Ingestion: Symptoms may include burns or irritation of the gastrointestinal tract. Contact with stomach acid may liberate toxic hydrogen sulfide vapors.
Delayed	No known chronic effects.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precaution to protect themselves. Show this Safety Data Sheet (SDS) to the doctor in attendance.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Flammable properties

National Fire Protection Association (NFPA) Ratings	
Health	2
Flammability	0
Reactivity	1
Special	-



HAZARD RATING:
 4 SEVERE
 2 SERIOUS
 2 MODERATE
 1 SLIGHT
 0 MINIMAL

5.2 Suitable extinguishing media

Use firefighting measures that suit the environment.

5.3 Unsuitable extinguishing media

No restrictions known.

5.4 Specific hazards arising from the substance or mixture

Heating (flames) of closed/sealed containers may cause violent rupture of containers due to thermal expansion of compressed gasses.

5.5 Protective equipment or precautions for firefighters

Heating this product may evolve hydrogen sulfide (toxic gas). Firefighters should wear self-contained breathing apparatus (SCBA) and full firefighting turnout gear. Keep containers and storage vessels in the fire area cooled with water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Wear protective equipment specified in Section 8. Isolate the release area and deny entry to unnecessary personnel.

6.2 Environmental precautions

Avoid release to the environment – if this is not the intended use. Dike spills and stop leakage where practical. Do not allow material to enter drains.

6.3 Methods and materials for containment and cleaning up

Small releases Use absorbent material to collect and contain for salvage or disposal. Clean surface thoroughly to remove residual spill.

Large releases Shut off release if safe to do so. Dike spill area with earth, sand or other inert absorbents to prevent runoff into surface waterways or drains. Recover as much of the released product as possible, using portable pump and hoses, and place into container(s) for later disposal. Following product recovery, flush area with water.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear suitable protective clothing, gloves and eye/face protection. Use only in a well ventilated area. Avoid contact with skin and eyes. Avoid prolonged or repeated breathing of vapors. Wash skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in well ventilated area and away from combustibles, acids and oxidizing agents. Keep away from heat. Keep containers tightly closed and store out of direct sunlight at a moderate temperature.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Occupational exposure limits

No exposure limits noted.

8.2 Engineering controls

Good general ventilation should be used. Ventilation rates should be matched to site conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station where material is frequently handled.

8.3 Personal protection measures



Eye Protection

Wear chemical goggles/full face shield. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).



Skin Protection

Wear neoprene rubber gloves and chemical protection suit to prevent repeated or prolonged contact with material. Use equipment for skin protection tested and approved under appropriate government standards such as NIOSH/MSHA (US) or Directive 89/686/EEC (EU).



Respiratory Protection

Have self-contained breathing apparatus (SCBA) positive pressure, available in case of accidental release, equipment failure or other unforeseen incidents. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).



General hygiene considerations

Wash thoroughly after handling and before eating, drinking or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Deep red-yellow liquid
Upper/lower flammability limits	Not applicable
Odor	Slight rotten egg odor
Vapor pressure	Not determined
Odor threshold	4.7 ppb (hydrogen sulfide)
Vapor density	Not determined
pH	10.5-11.5
Relative density	1.27 g/cc or 10.6 lbs/gal
Melting point	Not applicable
Freezing point	18-25 °F (-7.7 to -3.9 °C)
Solubility	Completely soluble in water
Initial Boiling point/range	Not determined
Flash point	Not applicable
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable
Partition coefficient	No data available
Auto ignition temperature	Not applicable
Decomposition temperature	Not determined
Viscosity	2.95 cSt @ 20 °C, 2.5 cSt @ 30 °C

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Strong oxidizers and acids.

10.2 Chemical stability

Stable under moderate temperature and pressure.

10.3 Possibility of hazardous interactions

Acids, acidic materials, strong oxidizers cause rapid decomposition, resulting in the formation of hydrogen sulfide gas.

10.4 Conditions to avoid

Fire, excessive heat and freezing conditions.

10.5 Incompatible materials

Chemical substances: Acids, acidic materials and oxidizing agents.

Materials of construction: Copper, carbon steel, aluminum or their alloys (i.e. brass, bronze, etc.). These materials of construction should not be used for storage or in the product handling system (i.e. piping, valves and pumps).

10.6 Hazardous decomposition products

Hydrogen sulfide and oxides of sulfur.



REMOTOX[®]

SAFETY DATA SHEET

Date of issue: 01/11/2012

Revision Date: 04/01/2019

Supersedes: 03/11/2017

SECTION 11: TOXICOLOGICAL INFORMATION

Oral	Rat	LD ₅₀ : 820 mg/kg
Dermal	Rabbit	LD ₅₀ : >2,000 mg/kg
Inhalation	Rat	LC ₅₀ : 3.9 mg/l (4 hr exposure) male rat
		LC ₅₀ : 3.1 mg/l (4 hr exposure) female rat
Eye		Primary eye irritation. Possible risk of irreversible effects.
Carcinogenicity		Not listed in NTP, IARC or by OSHA.
Teratology		No data available.
Reproduction		No data available.
Mutagenicity		No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Green Algae	EC ₅₀ : 16.4 mg/l
Water Flea	EC ₅₀ : 13.7 mg/l
Bluegill	LC ₅₀ : 52.9 mg/l
Fathead Minnow	LC ₅₀ : 42.9 mg/l
Rainbow trout	LC ₅₀ : 8.8 mg/l
Honey Bee	LD ₅₀ : >25 µg ai/Bee
Avian	LD ₅₀ : 560 ai/kg
Bobwhite Quail	LD ₅₀ : 560 ai/kg body wt.

12.2 Persistence and degradability

Calcium Polysulfide present in moist soils and/or moist foliage is expected to dissociate rapidly; therefore, run-off and erosion into surface waters, as present calcium polysulfide, should be negligible. (US EPA 2005, RED)

12.3 Bioaccumulation potential

Product is not bio-accumulative.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

Toxic to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Do not contaminate ponds, waterways or ditches with chemical or used container. Consult federal, state and local regulations for disposal regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 Basic shipping information

Proper shipping name	Calcium Polysulfide Solution (not regulated by US DOT)
DOT Hazard Class	Not applicable
UN Number	Not applicable
Packing Group	Not applicable
Placard(s)	Not applicable
Labels	Not applicable
Hazardous Substance	No
Reportable quantity	No



REMOTOX[®] SAFETY DATA SHEET

Date of issue: 01/11/2012

Revision Date: 04/01/2019

Supersedes: 03/11/2017

14.3 USCG Classification	Not determined
14.4 International Transportation	
IMO	UN3082, Environmentally Hazardous Substance, liquid, n.o.s., 9, PG III (Marine Pollutant – calcium polysulfide)
IATA	Not regulated
TDG (Canada)	Not regulated
ADR (Europe)	UN3082, Environmentally Hazardous Substance, liquid, n.o.s., 9, PG III (Marine Pollutant – Calcium Polysulfide)
ADG (Australia)	UN3082, Environmentally Hazardous Substance, liquid, n.o.s., 9, PG III (Marine Pollutant – Calcium Polysulfide)
14.5 Emergency Response Guide	Not applicable
14.6 ERAP (Canada)	Not applicable
14.7 Special Precautions	Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations	
OSHA	Meets the definition of a hazardous substance under the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200).
TSCA	Included in the US EPA TSCA Inventory List.
CERCLA	Reportable quantity: No
SARA Title III	Extremely Hazardous Substance (EHS): No Section 312 (Tier II) Ratings: Immediate (acute): Yes Fire: No Sudden release: No Reactivity: No Delayed (chronic): No Section 313 (Form R): Not applicable
RCRA	Not applicable
CAA (HAP):	Not applicable
15.2 State Regulations	CA Prop 65: Not applicable
15.3 International Regulations	
WHMIS (Canada)	Not determined
DSL/NDSL (Canada)	Listed in NDSL, Record No. 28636

SECTION 16: OTHER INFORMATION

16.1 Use of Substance/Preparation

This material is used for heavy metal removal in soil, groundwater and wastewater. Its use varies depending on the site and the remediation technology employed. Therefore, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations.

Some of the information presented are from sources other than direct test data on the product itself. The information in this Safety Data Sheet (SDS) was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding the correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS may not be applicable. Graus Chemicals reserves the right to revise this SDS periodically as new information becomes available.