


## Recommended wear parts for the MiniMag commercial battery walk behind auto scrubber.

Click the pictures to get a zoomed in view.




To find the appropriate size and style of the machine scrub brushes or pads look on the back of the central command box for a sticker with a number followed by a C or D, refer to picture for further help.

## Cylindrical brushes for the MiniMag battery floor auto-scrubber




New style brush driver, serial number 50000

and greater.




Old style brush driver, before serial number

50000.



**TOUGH-GRIT (Black/Aggressive)** Our most popular Grit brush. An aggressive brush for general scrubbing or stripping finishes from hard surfaces. Effectively cleans wide grout lines.

- 24" - C (new style) uses 225-821S      24" - C (old style) uses 22-521S



**MIDI-GRIT (Blue/Moderate to Aggressive)** An excellent general scrubbing brush for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

- 24" - C (new style) uses 225-821C      24" - C (old style) uses 22-521C



**LIGHT-GRIT (Grey/Moderate Aggressive)** Offers the durability of Grit brushes with minimum aggression. For daily scrubbing of a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

- 24" - C (new style) uses 225-821PS      24" - C (old style) uses 22-521PS



**NYLON (White/Low Aggressive)**

- 24" - C (new style) uses 225-821N      24" - C (old style) uses 22-521N


## **Disk Brushes for the Mini-Mag commercial battery floor walk behind auto-scrubber**

Disk brushes come in 5 different sizes for the Min-Mag floor scrubber




**SUPER-GRIT (Orange/Very Agressive)** The most aggressive Grit available. This heavy gauge nylon with larger grit is used for stripping heavily soiled floors, such as concrete floors in an commercial setting.

- 17" - D uses 17-421SS (1 required)
- 20" - D uses 20-421SS (1 required)
- 23" - D uses 23-421SS (1 required)
- 26" - D uses 13-421SS (2 required)
- 28" - D uses 14-421SS (2 required)



**TOUGH-GRIT (Black/Aggressive)** Our most popular Grit brush. An aggressive brush for general scrubbing or stripping finishes from hard surfaces. Effectively cleans wide grout lines.

- 17" - D uses 17-421S (1 required)
- 20" - D uses 20-421S (1 required)
- 23" - D uses 23-421S (1 required)
- 26" - D uses 13-421S (2 required)
- 28" - D uses 14-421S (2 required)



**MIDI-GRIT (Blue/Moderate to Aggressive)** An excellent general scrubbing brush for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

- 17" - D uses 17-421C (1 required)
- 20" - D uses 20-421C (1 required)
- 23" - D uses 23-421C (1 required)
- 26" - D uses 13-421C (2 required)
- 28" - D uses 14-421C (2 required)



**LIGHT-GRIT (Grey/Moderate Aggressive)** Offers the durability of Grit brushes with minimum aggression. For daily scrubbing of a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

- 17" - D uses 17-421PS (1 required)
- 20" - D uses 20-421PS (1 required)
- 23" - D uses 23-421PS (1 required)
- 26" - D uses 13-421PS (2 required)
- 28" - D uses 14-421PS (2 required)



**POLY (Black/Moderate to Low Aggressive)** Poly, our lowest replacement cost brush, is probably your most economical choice in scrubbing. Poly has a high friction coefficient with the floor, and will scrub harder than Nylon.

- 17" - D uses 17-421P (1 required)
- 20" - D uses 20-421P (1 required)
- 23" - D uses 23-421P (1 required)
- 26" - D uses 13-421P (2 required)
- 28" - D uses 14-421P (2 required)



**NYLON (White/Low Aggressive)** Without the grit, Nylon is very slick and un-scratchy, and so can be used safely on just about any surface.


- 17" - D uses 17-421N (1 required)
- 20" - D uses 20-421N (1 required)
- 23" - D uses 23-421N (1 required)
- 26" - D uses 13-421N (2 required)
- 28" - D uses 14-421N (2 required)



**DIAMOND DRIVER** The diamond driver is similar to the pad driver, but is made specifically for use with diamond pads, and has an extra cushion effect built into it. The diamond driver should be used only for diamond pads, and the standard pad driver should be used only for standard pads.

- 17" - D uses 17-421DD (1 required)
- 20" - D uses 20-421DD (1 required)
- 26" - D uses 13-421DD (2 required)
- 28" - D uses 14-421DD (2 required)

### **Pad drivers and scrub pads for the Mini-Mag commercial batter floor auto scrubber.**



**PAD DRIVER** The pad driver is used to hold the brush pads onto the motor.

- 17" - D uses 17-421D (1 required)
- 20" - D uses 20-421D (1 required)
- 23" - D uses 23-421D (1 required)
- 26" - D uses 13-421D (2 required)
- 28" - D uses 14-421D (2 required)




**SUPER BLACK (Black/Very High Level)** Extra aggressive pad. Open weave design and a heavily coated abrasive surface make this pad excellent for removing burnished floor finishes.

- 17" - D uses 17-422BB (1 required)
- 20" - D uses 20-422BB (1 required)
- 23" - D uses 23-422BB (1 required)
- 26" - D uses 13-422BB (2 required)
- 28" - D uses 14-422BB (2 required)



**BLACK (Black/High Level)** Removes dirt and old finish build-up.  
Cleans down to the original surface.

- 17" - D uses 17-422B (1 required)
- 20" - D uses 20-421B (1 required)
- 23" - D uses 23-421B (1 required)
- 26" - D uses 13-421B (2 required)
- 28" - D uses 14-421B (2 required)



**BROWN (Brown/High Level)** Removes dirt and old finish build-up.  
Cleans down to original surface. For wet or dry stripping.

- 17" - D uses 17-422BR (1 required)
- 20" - D uses 20-422BR (1 required)
- 23" - D uses 23-422BR (1 required)
- 26" - D uses 13-422BR (2 required)
- 28" - D uses 14-422BR (2 required)




**GREEN (Green/Medium Level)** For heavy duty scrubbing or light stripping. Removes heavy dirt and scuff marks prior to recoating

- 17" - D uses 17-422G (1 required)
- 20" - D uses 20-422G (1 required)
- 23" - D uses 23-422G (1 required)
- 26" - D uses 13-422G (2 required)
- 28" - D uses 14-422G (2 required)



**BLUE (Blue/Moderate Level)** For routine scrubbing. Removes dirt and scuff marks from heavily soiled floors prior to recoating.

- 17" - D uses 17-422BL (1 required)
- 20" - D uses 20-422BL (1 required)
- 23" - D uses 23-422BL (1 required)
- 26" - D uses 13-422BL (2 required)
- 28" - D uses 14-422BL (2 required)



**RED (Red/Moderate Level)** Extra fine pad for polishing clean clean dry floors. Use to buff soft finishes and low traffic areas. Ideal for marble floors.

- 17" - D uses 17-422R (1 required)
- 20" - D uses 20-422R (1 required)
- 23" - D uses 23-422R (1 required)
- 26" - D uses 13-422R (2 required)
- 28" - D uses 14-422R (2 required)



**WHITE (White/Light Level)** Extra fine pad for polishing clean dry floors. Use to buff soft finishes and low traffic areas. Ideal for marble floors.


- 17" - D uses 17-422W (1 required)
- 20" - D uses 20-422W (1 required)
- 23" - D uses 23-422W (1 required)
- 26" - D uses 13-422W (2 required)
- 28" - D uses 14-422W (2 required)

**EDGE Pads for the MiniMag commercial battery floor auto scrubber.**



Black Designed for heavy duty wet stripping. Aggressively removes floor finish and dirt. Cleans down to original surface.(5/CS)

- EDGE-4001 Pad 14" x 20"
- EDGE-4050 Pad 14" x 28"



Green For heavy duty wet scrubbing or light stripping. Aggressively removes dirt and scuff marks from heavily soiled floors.(5/CS)

- EDGE-4002 Pad 14" x 20"
- EDGE-4051 Pad 14" x 28"



Blue For wet scrubbing or heavy duty spray cleaning. Removes heavy dirt and scuff marks from floor surface.(5/CS)

- EDGE-4003 Pad 14" x 20"
- EDGE-4052 Pad 14" x 28"





Red Mildly aggressive for daily spray buffing.  
Removes light scuff marks and dirt while producing a high gloss surface.(5/CS)

- EDGE-4004 Pad 14" x 20"
- EDGE-4053 Pad 14" x 28"



White Extra fine pad for polishing clean dry floors.  
Use dry or with a fine water mist to produce a high gloss "wet look".(5/CS)

- EDGE-4005 Pad 14" x 20"
- EDGE-4054 Pad 14" x 28"




Hi-Output Strip Pad 14 x 20 Extra aggressive  
stripping pad for the heaviest duty stripping jobs.(5/CS)

- EDGE-4006 Pad 14" x 20"
- EDGE-4055 Pad 14" x 28"




Prep Pad Use wet or dry to remove floor finish without the use of harsh chemicals. Excellent for repairing acrylic or urethane finishes for recoating.(10/CS)

- EDGE-4007 Pad 14" x 20"
- EDGE-4056 Pad 14" x 28"




Shine Enhancer Pad 14 x 20 Designed for daily burnishing on soft to medium hard finishes. Removes black heel or scuff marks. Restores high gloss shine without scratching or deteriorating the finish.(5/CS)

- EDGE-4008 Pad 14" x 20"
- EDGE-4057 Pad 14" x 28"




Abrader Plate

- EDGE-4011 Pad 13" x 19"



Pad Stone Prep Black 100 Grit (2/CS)

- EDGE-4012 Pad 14" x 20"




Pad Stone Prep Red 400 Grit (2/CS)

- EDGE-4013 Pad 14" x 20"




Pad Stone Prep White 800 Grit (2/CS)

- EDGE-4014 Pad 14" x 20"




Pad Stone Prep Yellow 1500 Grit (2/CS)

- EDGE-4015 Pad 14" x 20"




Pad Stone Prep Green 3000 Grit (2/CS)

- EDGE-4016 Pad 14" x 20"



Hog Hair Natural fibers produce wet look finish.  
Use dry or with spray buff solution. For minimal burnishing on hard finishes.(5/CS)

- EDGE-4017 Pad 14" x 20"



Tile/Grout Renovater Pad (1 each)

- EDGE-4018 Pad 14" x 20"




White Sand Paper Driver (10/CS)

- EDGE-4019 Pad 13" x 19"
- EDGE-4025 Pad 14" x 20"
- EDGE-4058 Pad 14" x 28"




Sand Screen 60 Grit (10/CS)

- EDGE-4020 Pad 13" x 19"
- EDGE-4026 Pad 14" x 20"
- EDGE-4059 Pad 14" x 28"




Sand Screen 80 Grit (10/CS)

- EDGE-4021 Pad 13" x 19"
- EDGE-4027 Pad 14" x 20"
- EDGE-4060 Pad 14" x 28"




Sand Screen 100 Grit (10/CS)

- EDGE-4022 Pad 13" x 19"
- EDGE-4028 Pad 14" x 20"
- EDGE-4061 Pad 14" x 28"




Sand Screen 120 Grit (10/CS)

- EDGE-4023 Pad 13" x 19"
- EDGE-4029 Pad 14" x 20"
- EDGE-4062 Pad 14" x 28"




Sand Screen 150 Grit (10/CS)

- EDGE-4024 Pad 13" x 19"
- EDGE-4030 Pad 14" x 20"
- EDGE-4063 Pad 14" x 28"




Sand Paper 20 Grit (20/CS)

- EDGE-4031 Pad 13" x 19"




Sand Paper 36 Grit (20/CS)

- EDGE-4032 Pad 13" x 19"




Sand Paper 60 Grit (20/CS)

- EDGE-4033 Pad 13" x 19"



Sand Paper 80 Grit (20/CS)


- EDGE-4034 Pad 13" x 19"



Sand Paper 100 Grit (20/CS)

- EDGE-4035 Pad 13" x 19"






Carpet Bonnet (1 each)

- EDGE-4033 Pad 14" x 20"

## Squeegee blade rubber for the Mini-Mag commercial battery floor auto scrubber.



To find the size of the squeegee blade look on the top of the squeegee for a stamped number, refer to picture for location. Also here is a great write up on the differences in squeegee blades. Click [HERE](#) for the squeegee blade guide.



GUM RUBBER

- 32" Squeegee 22-770G
- 35" Squeegee 25-770G



LINATEX

- 32" Squeegee 22-770L
- 35" Squeegee 25-770L



URETHANE

- 32" Squeegee 22-770U
- 35" Squeegee 25-770U

### **Cylindrical and disk wiper blades for the Mini-Mag commercial floor scrubber.**



Cylindrical Blades

- 253-9010L Linatex Blade
- 253-1320G Gum Rubber Blade
- 253-1320U Urethane Blade



Disk Curtain

- 170-1205 20" Door Curtain
- 170-1320 26" Door Curtain



PowerCat Soap