

Vivarium Works
MATERIAL SAFETY DATA SHEET

PRODUCT

Exhibit Mold : Part A

1. PRODUCT AND COMPANY IDENTIFICATION

Manufactured by:

Vivarium Works
21418 Catlin Court
San Antonio, TX 78258

Telephone: (210) 288-8611

www.vivariumworks.com

Date prepared: 06/17/11

Chemical Type /Description:

by: SWA

Silicone Putty A-side

2. HAZARDOUS INGREDIENTS

<u>Component</u>	<u>Approximate %</u>	<u>TLV/PEL</u>	<u>CAS Number</u>
------------------	----------------------	----------------	-------------------

None

This product contains Methylpolysiloxanes, which can generate Formaldehyde at approximately 300F (150C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin, eye, and throat irritant, is toxic and a potential cancer hazard.

HMIS RATING:

FLAMMABILITY: 1

REACTIVITY: 0

HEALTH: 1

3. EFFECTS OF EXPOSURE

Potential Health Effects:

Ingestion: Very low toxicity expected, a likely laxative.
Skin Contact: None expected.
Inhalation: None expected due to very low vapor pressure.
Eye Contact: May irritate.

4. FIRST AID MEASURES

Ingestion: Seek medical attention if adverse symptoms noted.
Skin: Remove with dry towel, then wash with soap and water.
Eyes: Rinse 15 minutes with running water. Seek medical attention if irritation persists.
Inhalation: Seek fresh air if needed.
Other: Not applicable.

5. FIRE FIGHTING INFORMATION

Flash Point (Method):	>205F Setaflash
Flammability Class:	None.
Flammability Limits in Air:	Not available.
Extinguishing Media:	All standard media for chemical fires.
Hazardous Combustion Products	CO, CO ₂ , SiO ₂ , H ₂ CO
Special Fire Fighting Notes:	Like all silicones, Vivarium Works® Exhibit Mold: Part A can produce formaldehyde when strongly heated in air.

6. ACCIDENTAL RELEASE MEASURES

Pick up spilled material with a scraper, and then wash area thoroughly with water and detergent.

7. HANDLING AND STORAGE

Handling:	Avoid contact with eyes and prolonged skin contact.
Storage:	Store in cool (<40C) closed and dry containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Good general ventilation.

Personal Protective Equipment

Eyes:	Safety glasses.
Skin:	Rubber or plastic gloves as desired.
Inhalation:	Not normally required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Non-flowable paste.
Color:	White.
Odor:	Very slight.
Boiling Point:	Will not boil.
Vapor Density (air = 1):	There is negligible vapor pressure.
Specific Gravity:	1.1
Solubility in Water:	None.

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable.
Hazardous Polymerization:	Will not occur.
Decomposition Products:	Only in fire conditions, see section 5.
Materials to Avoid:	None.
Conditions to Avoid:	None – keep tightly sealed to avoid contamination.

11. TOXICOLOGICAL INFORMATION

See section 3.

12. ECOLOGICAL INFORMATION

None available.

13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with state and local regulations. The preferred method is to cure with the appropriate curing agent (Exhibit Mold: Part B) and discard the cured rubber in a sanitary landfill.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not regulated.
DOT HAZARD CLASS: None.
UN/NA Number: None.

15. REGULATORY INFORMATION

TSCA INVENTORY STATUS: Listed.

SARA TITLE III / CERCLA
SECTION 302 EXTREMELY TOXIC: None.
SECTION 304 CERCLA HAZARD: None.
SECTION 311 / 312 HAZARD None.
CLASS:
SECTION 313 TOXIC CHEMICALS: None.

16. OTHER INFORMATION

I believe the above information is correct as of the date of this data sheet. However, as this information and the conditions under which the product are used are beyond the control of Vivarium Works, it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.