
BOUNTY HUNTER BUD DETECTORS



Hit the treasure trail with the Big Bud.



Here's why the Big Bud leaves the others behind.

Take a close look at this chart. You'll see that the Big Bud has features not found on competitive detectors—features like Auto-Notch discrimination, Loud-Alert audio, and Deep Coins Blanker capability. And the Big Bud's unique Nickel Protection circuitry lets you adjust to a high level of trash rejection without losing nickels and small gold items.

You'll also see features normally found on more expensive instruments. Target Identification, ultraslow sweep VLF discrimination, All Metals pinpointing, and powerful depth capabilities make your hunting easier and more rewarding.

Make Model	Bounty Hunter Big Bud	Tesoro Golden Sabre	Fisher 1265-X
Suggested retail	\$399.00	\$399.00	\$499.95
Silent search	Yes	Yes	Yes
Slow-sweep Disc	Yes	Yes	Yes
Auto ground reject	Yes	Yes	Yes
Sensitivity control	Yes	Yes	Yes
Variable Disc	Yes	Yes	Yes
Convertible mount	Yes	Yes	No
All Metals with pinpoint	Yes	No	Yes
Auto-Notch system	Yes	No	No
Nickel protect	Yes	No	No
Meter	Yes	No	No
Target ID	Yes	No	No
Loud Alert audio	Yes	No	No
Deep Coin (Blanker)	Yes	No	No
Meter battery check	Yes	No	No
Knock-down pole (optional)	Yes	No	No


You can get right to it.

With many standard detectors, you spend time adjusting controls to get the best performance. And if the settings aren't right, you get bad results.

The Big Bud solves all this. Its automatic features let you just turn it on and start hunting. And with the Big Bud, you get features no other detector offers—at a price that may surprise you.

Blanker™ capability gets rid of surface trash.

The Big Bud's Blanker capability lets you focus on the more valuable deep finds. Simply flip a toggle switch, and the Big Bud ignores the top three inches of soil, where most trash lies. You'll get exciting results, even in junk sites.



Blanker capability ignores, or "blanks out," surface trash and seeks out the more valuable deeper treasures. Only the Big Bud has this capability.

And leave the others eating your dust.





Big Bud's exclusive Auto-Notch automatically rejects trash. You can combine Auto-Notch with Blanker capability to locate Deep Coins Only.


Auto-Notch™ leads you to the coins.

Turn the Power switch to Coins Only. a unique automatic "windowing" system we call Auto-Notch. The Big Bud automatically rejects most common forms of trash: pull-tabs, screw caps, iron, and light foil. The Big Bud targets the most common coins, even nickels and the accompanying small gold rings. Targets show clearly on the Visual Target Identification meter display.

Loud Alert™ keeps you on the track.

Here's yet another Big Bud exclusive that pays big returns. With other detectors, audio volume decreases with increasing target depth. That means you can miss a target, especially when you're hunting in noisy conditions.

Loud Alert keeps the Big Bud's audio signal at peak strength, right down to the deepest target. While others are listening to faint whispers, you hear full-volume, distinct signals that lead you to the treasure.



(typical depth in inches under optimum conditions.)

While other detectors lose audio volume with depth, Loud Alert gives a fullvolume signal for all detected targets.

The whole family can get involved.

The Big Bud is the perfect instrument for young and old, regardless of experience. Lightweight and a breeze to operate, it's quickly convertible from pole-mount to body mount. And it's available with an optional knock-down pole for compact storage.

Hit the treasure trail with Big Bud, and leave the others way behind. Call or write for our new catalog and the address of your nearest Bounty



300 Market Drive. Lebanon, Oregon 97355 (503) 451-1494

DIG INTO THE 21ST CENTURY WITH A BOUNTY HUNTER

PRO SELECT 220-D







Metal detecting technology is changing rapidly. Bounty Hunter, as the industry innovator, is designing today lightweight, professional metal detector with Microprocessor that assures what we only imagined we'd see in the next century. An affordable

deep target signals are transmitted



at your disposal. Bounty Hunter delivers future technology today with are deeper than 10 inches will still register 10 inches on the Depth Readout. out coins in heavily trashed areas. With a Three-Tone Target ID the Big Bud Pro Select 220-D—the legend continues... The success of metal detecting is completely dependent on what tools are how deep the target is—from 1 to 10 inches in the ground. Targets that the Target LCD Readout will register the probable type of coin or metal to minimize your trash-to-treasure ratio! As you pass the coil over System, LCD Target/Depth Readout working simultaneously, it's easy very fast recovery rate maximizing its capability to pull The Bounty Hunter Big Bud Pro Select 220-D has a the object may be; and, the Depth LCD Readout will lock on to determine your potential target, the 220-D will emit a low, medium, or high tone,





- S-Rod with Stand

Interchangeable Coil Plug

LCD Depth Readout

LCD Target Readout

- Adjustable Aluminum Stem
- Comfort Hand Grip
- Total Weight—Approx: 3 lbs
- Quarter-Inch Headphone Jack
- No-Motion All Metals

Waterproof Coil System

Available From: BOUNTY HUNTER CORPORATION • 11900 Montana Ave • El Paso, TX 79936 • (915) 855-4206 Disc/All Metal Toggle 2" & 4" Blanker System Sensitivity Control Manual Ground Balance LCD Battery Indicator

Three-Position Mode Switch

Auto Notch Width Control

Manual Notch Auto Notch Variable Notch Control

8" Open-Face Searchcoil








FURTHER INFO & SPECIFICATIONS

The Select 220-D has two distinct systems in one:

I. ALL METAL Mode with Audio Threshold, manual Ground Balance control and Toggle Switch Re-Tuner. In this setting, detected targets will cause the detector to sound off for as long as the target is under the searchcoil. The Ground Balance Control is used when the Toggle Switch is in ALL METAL setting only.

II. DISCRIMINATE/NOTCH/AUTO NOTCH Mode with Three Tone Audio Target Identification, Sensitivity Control, Automatic Ground Balance and "Motion" Automatic Tuning. In this setting, iron is rejected and the Discriminate Control is used to reject various levels of trash items. Motion is now required to make a detection and items held still under the searchcoil will be tuned out.

MODE TOGGLE SWITCH



BLANKER TOGGLE SWITCH:

MOD€ TOGGL€ SWITCH:

This is a three-position switch with one 'momentary' and two 'lock' positions. The center

'lock' position is the ALL METALS pinpointing mode. From this center position the momen-

tary position can be used for instant retuning of

the ALL METALS auto pinpointing mode. The


second 'lock' position (away from center)

places the detector into its normal silent search


DISC motion mode.

This is a three-position switch with three 'lock' positions blanks out all targets up to 2 inches or 4 inches deep. When hunting heavily trashed areas or needing to permeate surface trash, the 2-Inch and 4-Inch selections can be used to good effect.

BLANKER SWITCH



ATI-AUDIO TONE IDENTIFICATION



When operating in the DISC MODE, detected targets will have three distinct tone categories for helpful identification of the detected item. With some practice, it is easy to be able to determine most of the time what type of metal is being detected just by the tones being emitted by the Select 220-D.

LCD READOUT

The Dual LCD Readout will simultaneously "lock" on to Target ID and Depth. No switching back and forth needed.

The Low Battery indicator will come on and stay on when batteries are low.



AVAILABLE COIL SYSTEMS: Bounty Hunter Accessories include two other very practical coil systems that can be interfaced with the Sharp Shooter: the 4-Inch Gold Nugget Coil—excellent for prospecting and coin shooting in trash-ladened areas, and the 10-Inch Magnum Coil—used mostly for relic hunting and for deeper probing.

S-ROD HANDLE SYSTEM: The S-Rod Handle System that comes with the unit, includes a stand to prevent the unit from falling over when placed on the ground horizontally. This allows for hands-free digging while eliminating dirt from getting onto the control panel.

SPECIFICATIONS

Weight: 3Lbs. Operating Frequency (kHz): 6.6 Searchcoil Size: 8" Open-Faced 2 Three-Position Toggle Switches

(Disc/All Metal) & (Blanker) Low Battery Indicator (LCD) Digital Dual LCD Readout All Metal Non-Motion (Manual Ground) Motion Discrimination 3-Tone Target ID 25" Headphone Jack Internal Speaker System Waterproof Coil System Requires Two 9-Volt Batteries S-Rod Handle System Adjustable Aluminum Stem Limited 5-Year Warranty

Controls:

On/Off Switch Sensitivity Control Discrimination Control Notch Control **Auto Notch Control** Manual Ground Balance Disc./Notch Variable Blanker Toggle Switch Disc/All Metals Toggle Switch



CONTROLS & OPERATION

DISCRIMINATION AND NOTCH CONTROL: This variable control allows selective response to targets that are in the foil-screw cap range. When the Power/MODE switch is set to 'DISC', and the mode toggle switch is also set at DISC, the Disc/Notch control functions as a standard variable discriminator. Iron will automatically be rejected and as the control is increased from its full counterclockwise position-foil, nickels, pull tabs, screw caps, pennies and dimes will be rejected in stated


NOTCH: It is often desirable to eliminate some pull tabs without rejecting nickels, since many types of gold rings are also rejected along with the nickel. This can be done by setting the POWER switch to 'NOTCH'. The DISC/ NOTCH control now functions as a variable notch rejection window. The notch can then be adjusted to reject, or 'notch out', selected types of pull tabs or other trash. When using the notch feature, most iron and small foil will be automatically rejected by the discrimination circuits. To set the notch, use a pull tab of the type to be rejected. Adjust the NOTCH control to the point (around the area marked PULL TAB on the control) at which the tab is notched out, or rejected. Now check a nickel to be sure it is still accepted. Note that some pull tabs or tab pieces have nearly the same detection properties as nickels and some gold rings. These items can not be separated.

AUTO NOTCH: In the AUTO NOTCH position iron and most pull tabs will automatically be rejected; thus, the detector will generally respond to coins, including nickels. The DISC/NOTCH control will now function as a notch width control. As the control is turned higher, additional items will be rejected up to and including zinc pennies. A truly remarkable and useful feature.



IN THE FIELD WITH THE SELECT 220





Locate the deeper treasures!

The Bud Lite combines features, quality and affordability to offer you the very best in metal detectors. With its high degree of sensitivity, the Bud Lite gives you versatility in mineralized ground and in wet or dry sand. Besides coin and relic hunting, Bud Lite is excellent for gold prospecting with its capability to eliminate hot rocks. An added feature is the waterproof search coil which gives you the freedom to treasure

'lighter price... 'top' performance

hunt in shallow water.

The Bud Lite combines efficient electronic pinpointing with an unique 'Quick Check' depth reading circuit, allowing you to quickly and accurately locate targets.

In heavy trash areas, the Discrimination mode will reject unwanted targets, such as wire, nails, tacks and rivets. With adjustable sensitivity, false readings are virtually eliminated so only valuable treasure is pinpointed.

The Bud Lite performs like the Big Bud for depth, yet provides smoother operation in high mineralized areas.

Bud Lite does it right!





Features

- Limited lifetime warranty
- Automatic ground balance with all metals pinpointing
- Vari-notch
- Quick check depth
- Loud alert
- Slow sweep
- Silent search mode
- Nickel ring protect
- Lightweight design with armsaver rod
- 8" extra sensitive waterproof search coil
- Operates on two 9 volt Alkaline batteries
- Audible battery alert
- Convertible from pole to body mount
- Large view meter

Controls

Discrimination - to accept or reject non-ferrous targets

Vari notch - allows variable rejection or notching of nonferrous trash items

Sensitivity - adjustable for varying ground and environment conditions


Pinpointing & Mode toggle switch -3 position switch for all metals pinpointing, retuning and silent search mode

BOUNTY HUNTER



By Teknetics, Inc. 4935 Indian School Road N.E. Salem, Oregon 97305 503 390-3985





Locate the deeper treasures!

The Bud Lite combines features, quality and affordability to offer you the very best in metal detectors. With its high degree of sensitivity, the Bud Lite gives you versatility in mineralized ground and in wet or dry sand. Besides coin and relic hunting, Bud Lite is excellent for gold prospecting with its capability to eliminate hot rocks. An added feature is the waterproof search coil which gives you the freedom to treasure

'lighter price... 'top' performance

hunt in shallow water.

The Bud Lite combines efficient electronic pinpointing with an unique 'Quick Check' depth reading circuit, allowing you to quickly and accurately locate targets.

In heavy trash areas, the Discrimination mode will reject unwanted targets, such as wire, nails, tacks and rivets. With adjustable sensitivity, false readings are virtually eliminated so only valuable treasure is pinpointed.

The Bud Lite performs like the Big Bud for depth, yet provides smoother operation in high mineralized areas.

Bud Lite does it right!





Features

- Limited lifetime warranty
- Automatic ground balance with all metals pinpointing
- Vari-notch
- Quick check depth
- Loud alert
- Slow sweep
- Silent search mode
- Nickel ring protect
- Lightweight design with armsaver rod
- 8" extra sensitive waterproof search coil
- Operates on two 9 volt Alkaline batteries
- Audible battery alert
- Convertible from pole to body mount
- Large view meter

Controls

Discrimination - to accept or reject non-ferrous targets

Vari notch - allows variable rejection or notching of nonferrous trash items

Sensitivity - adjustable for varying ground and environment conditions

Pinpointing & Mode toggle switch -3 position switch for all metals pinpointing, retuning and silent search mode

BOUNTY HUNTER



By Teknetics, Inc. 4935 Indian School Road N.E. Salem, Oregon 97305 503 390-3985