BOUNTY HUNTER METAL DETECTORS



DISCOVER
THE WORLD'S
TREASURE
WITH A
BOUNTY HUNTER
METAL DETECTOR

Custom Designed and Engineered Metal Detectors



FIRST TEXAS PRODUCTS EL PASO, TEXAS 79936 Phone: (915) 855-4206 Fax: (915) 855-2657



BOUNTY HUNTER

ENGINEERED FOR

BOUNTY HUNTER TRACKER'IV

DUAL DISCRIMINATOR

The DUAL DISCRIMINATOR SYSTEM with GROUND TRAC® offers options for finding more valuables and less trash. 'Tone Discrimination' gives a Low Tone for nickels, pull-tabs and most trash items, High Tone for most coins and silver.

Can be adjusted so pull-tabs give an in between broken sound, making them easy to identify, thus allowing for finding of nickels and gold rings along with other coins.

On 'Full Discrimination', the detector will

On Full Discrimination, the detector will reject trash and other unwanted items and emit a High Tone for desired targets.



The Tracker IV will ground balance automatically in all types of soil conditions.

With Motion All Metals mode, the Tracker IV has the ability to find GOLD NUGGETS IN BLACK SAND! It is additionally capable of finding large treasures and relics at amazing depths.



The Tracker IV offers powerful basic features contributing to ease of use with professional performance.

- ◆ Three-Position Mode Switch
- ◆ Motion All Metal Mode
- **♦ Full Discriminate Mode**
- ◆ Dual-Tone Discriminate Mode
- **♦** Sensitivity Adjustment
- Discriminate Adjustment
- ♦ Intensity Meter System
- ◆ Low Battery Indicator
 ◆ Waterproof 8" Coil System



BOUNTY HUNTER


LAND STAR"

Three-Tone Audio Discrimination. No Motion All Metals Threshold pinpointing and powerful depth capabilities make your hunting easier and more rewarding. Notch and Auto Notch eliminate pull-tabs and still detect nickels and most gold rings. Detects Coins up to 12 Inches.

Manual Ground Balance in the ALL METALS Mode Adjusts Easily and Quickly in All Soil Conditions




Breaking New Ground In Precision Engineering, The Land Star Detector Will Locate Buried



* LCD Target Readout

- Manual Ground Balance
- ★ Ground Trac® Retune
 ★ Full Discrimination
- * Variable Notch
- * Auto Notch
 - Disc/Notch Level Control



Has Both
NO MOTION ALL METALS
and
MOTION ALL METALS
with Iron
Discrimination by Size.



The Dual LCD Readout will simultaneously "lock" onto Target ID and Depth. No switching back and forth needed. Low Battery Indicator will come on and stay on when batteries are low. DISC/NOTCH Variable Control allows for precise separation of trash from treasure.





METAL DETECTORS SERIOUS TREASURE HUNTING

BOUNTY HUNTER QUICK DRAW III Full Motion Detector

The Quick Draw II is equipped with a powerful ZILOG Z-86 computer circuit which combines with Bounty Hunter's Patented Technology to offer more features. performance and value than any other detector in its price range.

> Detects coins up to 10 inches deep-Larger objects up to 5 feet deep. Detects a 1/4 inch gold nugget up to 4 inches deep.



□ Target ID □ Depth Readout ☐ Sensitivity Control

☐ Full Discrimination

☐ Auto Notch □ Variable Notch

☐ Disc/Notch Level Control

☐ Low Battery Indicator ☐ 3-Tone Target Audio

☐ Auto Ground Balance □ 1/4-Inch Headphone Jack

Whether sweeping the searchcoil ultra fast or ultra slow, the Quick Draw II will detect targets with tremendous accuracy.

Has 3 Levels of Iron Discrimination. Tune out small nails, etc. and still detect larger relics and collectibles.




Touchpad Selection with Four Modes of Operation



Now you can recover more relics and valuables from the past than ever before. Time Ranger's powerful circuitry and smooth operation combine to deliver Absolute Performance.



New Sentron Co-Relator senses outside electrical interference and automatically cancels it out. Delivers maximum power and performance at all times.





Touch DISC TARGET select pad and targets appear one at a time on the LCD screen for you to Accept or Reject them. Program your own combination of targets.

NO MOTION ALL METALS and MOTION ALL METALS with 4 Levels of Iron Discrimination by Size. Programmable Target ID Numbered Target Values

Touchpad Control Selection

★ LCD System Readout

☆ Smart Trac™ Ground Control

★ Microprocessor Circuitry

★ 3-Tone Audio Discrimination



Touch SNIFF pad, then "show" a target to the searchloop for ACCEPT or REJECT of that target only.

Touch BLANKER pad to eliminate surface metals. Adjustable from 2 to 4 inches deep.

Touch ALL METAL pad to detect all metals with "No Motion" Audio Threshold and Audio Pinpointing.

ID Arrow Locks On Good Targets

"R" Indicates Reject Selections

Deep Target Indicator

Touch PRESET to Reject iron, foil and pull-tabs. Touch Preset again to Reject iron, foil, pull-tabs, screwcaps and zinc pennies.

Depth Locks on for Coin-Sized Objects

Battery Indicator Functions at all Times

New Ground Monitor

First Texas Products/Bounty Hunter Metal Detectors 11900 Montana Ave • El Paso, TX 79936 • (915) 855-4206 • Fax (915) 855-2657



TRACKER IV SPECIFICATIONS

Three-Position Joggle Switch

3-MODE OPERATION ALL METAL TONE DISCRIMINATION FULL DISCRIMINATION

Controls:

On/Off Switch Sensitivity Control Disc/Notch Control

3 Modes of Operation:

Motion All Metal Full Discriminate Dual-Tone Discriminate

When operating in the FULL DISCRIMINATE Mode, the DISC/NOTCH Control will increase the range of discrimination as it's turned clockwise

When operating in the TONE DISCRIMINATE, the DISC/NOTCH Control can be adjusted to create two different tones, both low and high, to classify nickel/gold items from silver/copper and brass along with a broken tone for pull-tabs.

The Mode switch allows instant selection from 3 modes of operation: All Metal, Full Discriminate, and Tone Discriminate.

I. FULL DISCRIMINATE: Set the Mode Switch to DISC and most trash items can be rejected. Adjust the DISCRIMINATE control higher to increase the range of discrimination. Be aware that discrimination of Pull Tabs will cause nickels and some gold rings to also be

II. ALL METAL: Set the Mode Switch to the center position and the detector will detect all metals—Important when looking for iron

objects that are mostly eliminated in Discrimination mode.

III. TONE DISCRIMINATE: When using the Tone Discriminator, a unique dual tone "beep" and automatic iron/foll rejection makes finding treasure easy and fun-Nickels and most gold rings will emit a low tone while most coins will emit a high tone.

QUICK DRAW II SPECIFICATIONS

Jouchpad Operation Modes



Disc/All Metal Notch Auto Notch

Adjustment Controls: Power On/Off Sensitivity

Disc/Notch Control

With three types of Discrimination modes to choose from and an independent Motion All Metals operation, the Quick Draw II can be effectively used in many different ways. The DISC (Discriminate) Mode operates on the same touchped as the ALL METAL mode. The position of the DISC NOTCH control will then determine the mode of operation. All modes can be fine-tuned by the DISC NOTCH control for a variety of specialized applications.



QUICK DRAW II LCD READOUT

The LCD Display emits "arrow" indications for the types of metal being detected. The general categories "GOLD RANGE" and "SILVER RANGE" allow for quick reference when hunting for specific types of metal. Under these broad categories fall more common types of metal objects found when detecting. These indications may also symbolize many other types of precious metal objects such as gold rings, medallions, tokens, and relics.

The Probable Depth Indicator works simultaneously with the Target Identification-each arrow will lock on and stay on estimated depth in inches for coin-sized objects until another target's depth is detected.

LAND STAR SPECIFICATIONS

Touchpad Operation

AUTO NOTCH NOTCH PRESS FOR TARGET MODE GROUND

JRAC

Touchpad Controls:

Disc Notch Auto Notch All Metal Ground Trac Re-Tune

Adjustment Controls

Power On/Off Sensitivity Disc/Notch Control Manual Ground Balance With four modes of operation and a separate Ground Trac Touchpad for Ground Balance Re-Tune, the Land Star can be effectively utilized for any metal detecting application conceivable:

1. All Metal: The All Metals Mode is an excellent mode for gold prospecting,

cache hunting or pinpointing objects when coin-shooting.

2. Disc: The Disc Mode offers different levels of discrimination adjusted by the Discrivation Control. An excellent mode of choice when relic hunting since iron is detected at the Discrivatch Control's lowest setting.

3. Notch: The Mode of choice when roin-shooting or ring hunting. Can selectively eliminate certain types of pull-tabs while still detecting nickels


and gold rings.


4. Auto Notch: A fully automatic discrimination mode that allows the operator turn-on-and-hunt discrimination. The Discrivolch Control can be adjusted to increase the width of the Notch making possible the rejection of screw caps and zinc pennies while still detecting copper pennies, silver coins, nickels and many gold rings.



LAND STAR LCD READOUT

TIME RANGER SPECIFICATIONS





Touchpad Controls:

Power On/Off Sniff All Metal/Smart Trac Blanker Preset Disc Target Sensitivity Low/High Target Accept/Reject

The Time Ranger operates in every mode and function by touchpad controls. There are no moving parts to wear out and no open areas on the faceplate that allow dirt to enter which normally would erode parts and possibly damage sensitive circuitry. These touchpads are easily accessed by the operator's thumb or other free hand. Because there is no programming involved, other than selecting or deselecting desired targets, the Time Ranger is a turn-on-and-go detector. With quick response to the slightest push of the touchpads, automatic modes of operation (by pressing "PRESET"), and no hidden programming, the Time Ranger allows the operator to focus on finding treasure fast and efficiently.

GENERAL SPECIFICATIONS

Audio Jarget Identification



3-TONE DISCRIMINATION automatically classifies detected metal objects into

4 categories. 3-Tone Audio Discrimination is a valuable reference when trying to avoid digging trash items. With the external speaker or the use of stereo headphones, the detectorist always has a solid audio reference that ensures ease of use in determining trash from treasure.—on the Tracker IV, pull-tabs will have an in-between "broken" tone in place of a medium tone depending on DISC/NOTCH control adjustment.

COMMON SPECIFICATIONS:

Weight: 3.5 lbs Operating Frequency (kHz): 6.6 Motion Discrimination (Auto Ground) 1/4" Headphone Jack Internal Speaker System 8" Open-Face Coil System Requires Two 9-Volt Batteries S-Rod Handle System Adjustable Aluminum Stem Limited 5-Year Warranty



BOUNTY HUNTER METAL DETECTORS

NEW MODELS BOUNTY HUNTER INNOVATION



Fast Tracker




- ▲ Dual Tone Discrimination
- ▲ Intensity Meter System
- ▲ Discriminate Adjustment
- ▲ Easy To Operate
- ▲ Sensitivity Adjustment
- ▲ Pro Handle System



LCD Target Readout



- ▲ LCD Target Readout
- ▲ Automatic Ground Balance
- ▲ Interchangeable Coil



Programmable Target ID



▲ LCD Target Readout

Land Ranger

- ▲ Programmable Target ID
- ▲ Microprocessor Circuitry
- ▲ Numbered Target Values
- ▲ Touchpad Selection
- ▲ Smart Trac_® Ground Control

Target ID

First Texas Products/Bounty Hunter Metal Detectors 11900 Montana Ave • El Paso, TX 79936 • (915) 855-4206 • Fax (915) 855-2657





www.detecting.com

FAST TRACKER SPECIFICATIONS

The FAST TRACKER is a user-friendly instrument, offering tremendous value for the money, while delivering effective performance over a wide range of conditions and applications.

Streamlined in appearance, with only two operating controls, the FAST TRACKER has eliminated the most difficult aspect of metal detector operation: Ground Balancing. With built-in Automatic Ground Trac, the FAST TRACKER balances for mineralization while you detect.

The FAST TRACKER will detect in extreme ground conditions from wet salt beaches to highly mineralized inland sites with no operator adjustments to the circuitry and with no loss of sensitivity. The FAST TRACKER offers 2-tone target identification for fun, easy discrimination capability.

DUAL TONE DISCRIMINATION classifies detected metal objects into 3 categories. Adjust the DISCRIMINATE control higher to increase the range of the low tone. It is possible to set the DISCRIMINATE level so that nickels have a low tone, larger coins have a high tone and pull tabs have an in-between "broken" tone, making them easily recognizable.

Weight: 3lbs
Operating Frequency (kHz): 6.6
Searchcoil Size: 7.25"
Low Battery Indicator (LED)
All Metal Motion
Motion Discrimination
2-Tone Target ID
Headphone Jack
Internal Speaker System
Waterproof Coil System
Adjustable Aluminum Stem
Limited 5-Year Warranty
Requires Two 9-Volt Alkaline Batteries

Controls:

On/Off Switch Sensitivity Control Discriminate Control

2 Modes of Operation:

Motion All Metal Dual-Tone Discriminate



5-YEAR LIMITED WARRANTY

On/Off Sensitivity Control

After turning the On/Off Sensitivity Control to the "ON" position, and placing the Discriminate control at the "LOW" position, the unit will respond to any type of metal as long as the coil is in motion. Motion is also required in the other modes of operation. The Sensitivity is at its lowest setting when turning the unit on. To increase Sensitivity, simply turn the control clockwise towards the "HIGH" indication.

Tone Discriminate Control

To operate in the TONE DISCRIMINATE Mode, turn the DISCRIMINATE Control clockwise from the "LOW" position. The DISCRIMINATE Control will increase the range of discrimination as it's turned clockwise.

While operating in the TONE DISCRIMINATE, the DISCRIMINATE Control can be adjusted to create two different tones, both low and high, to classify nickel/gold items from silver/copper and brass along with a possible broken tone for pull-tabs.

SHARP SHOOTER II SPECIFICATIONS

The Bounty Hunter Sharp Shooter II is a Digital LCD Readout System with No-Motion All Metals at an affordable price. It combines ease of use with a visual reference that allows the user to determine what type of metal is being detected. It also includes a Three-tone Audio reference which assists in further determining what type of metal is being detected.

The Sharp Shooter II detector was designed with exact specifications to fill the needs of the avid Treasure Hunter. The LCD readout will indicate the probable target ID of each target being detected. With an excellent recovery rate, easy operation, and lightweight, the Sharp Shooter II is truly a Treasure Hunter's dream.

Because of the No-Motion All Metals mode, this detector can also be applied effectively for all types of treasure hunting: relic hunting, cache hunting, or even gold prospecting. Approx. Weight: 3.5 lbs Operating Frequency (Hz): 6.6 Digital LCD Target & Mode

Readout Low Battery Indicator (LCD) All Metal No-Motion (Auto Ground) Motion Discrimination (Auto Ground)

3-Tone Target ID 1/4" Headphone Jack Internal Speaker System Search Coil Size: 8" Open-Faced Waterproof Coil System Requires Two 9-Volt Alkaline

Batteries S-Rod Handle System Adjustable Aluminum Stem Limited 5-Year Warranty

Controls:

On/Off Switch Sensitivity Control All Metal Touchpad All Metal Retune Touchpad Discrimination Touchpad Notch Touchpad Auto Notch Touchpad Automatic Ground Balance Disc./Notch Variable Control



5-YEAR LIMITED WARRANTY

When operating in the DISC mode, detected targets will have three distinct tones for helpful identification of the detected item. With some practice, it is easy to determine, most of the time, what type of metal is being detected just by the tones being emitted by the Sharp Shooter II. (See "Audio Target Identification" graph below)

LAND RANGER SPECIFICATIONS

The LAND RANGER is a top-of-the-line professional metal detector offering high-end features indispensable for the serious metal detectorist. A large LCD panel displays current operating status at all times during in-the-field application. Target ID, Depth Readout, Sensitivity Level, Battery Level, Target Number Indication, Ground Balance Monitor, Target Accept/Reject, and Iron Level Discrimination are all displayed by the LCD panel.

The Land Ranger is designed for every metal detecting application conceivable at a professional level. All features and functions are highly visible with no hidden programming. The touchpads keep all modes of operation at quick and easy access while the LCD emits a constant reference source, maximizing every possibility for finding treasure.

Approx. Weight: 3.5 lbs
Operating Frequency (kHz): 6.6
Digital LCD Readout
Low Battery Indicator (LCD)
All Metal No-Motion (Auto Ground)
Motion Discrimination (Auto
Ground)
3-Tone Target ID
1/4" Headphone Jack
Internal Speaker System
Search Coil Size: 8" Open-Face
Waterproof Coil System
Requires Two 9-Volt Alkaline
Batteries
S-Rod Handle System
Adjustable Aluminum Stem
Limited 5-Year Warranty

Touchpad Controls:

On/Off Switch
Smart Trac® — Adjusts for
Mineralization
All Metal
Level Indicator — Raises and
Lowers Volume
Preset Modes for
Automatic Discrimination
Disc Target — Offers
Customized Discrimination
Sensitivity Low/High
Target Accept/Reject



5-YEAR LIMITED WARRANTY

LOW LOW MEDIUM HIGH TONE TONE Small Gold 8 Notes

Audio Target Identification

The 3-Tone Audio Discrimination categorizes metal targets under 3 audio output possibilities while operating in the Disc mode. Applies to both the Sharp Shooter II and the Land Ranger.




BOUNTY HUNTER METAL DETECTORS 2000 Pricing

Sniff • Blanker System • Microprocessor Circuitry • Sentron Co-Relator • Smart Trac Ground Balance • Headphone

Prices Effective February 15, 2000

Description of each Model lodels · 2-Tone Audio Discrimination · All Metal Motion Mode · Internal Speaker · Headphone Jack **Fast Tracker** Automatic Ground Balance • 7 1/4-Inch Coil System • New Style Control Panel Retails: 139.95 · S-Rod Handle System with Stand Tracker I-D · 2-Tone Audio Discrimination · All Metal Motion Mode · Intensity Meter · Internal Speaker · Headphone Jack Automatic Ground Balance 7 1/4-Inch Coil System S-Rod Handle System with Stand Retails: 139.95 · New Dual Discriminator · Choose Between Full Discriminate or Tone Discriminate · All Metal Motion Mode with Tracker IV Automatic Ground Balance · Meter · Speaker · Headphone Jack · Battery Light · S-Rod Handle System with Stand • 8-Inch Open-Face Coil System Retails: 195.95 Target ID LCD Readout · Touchpad Selection · 3-Tone Audio Discrimination · Disc Mode · Notch Mode · All Metal Quick Draw II Motion Mode · Disc/Notch Variable & Width Control · Automatic Ground Balance · Speaker · Headphone Jack S-Rod Handle System with Stand · Includes 8-Inch Open-Face Coil System Retails: 295.95 Touchpad Control Selection • LCD Target Readout • LCD Mode Indicator • 3-Tone Audio Discrimination • Notch Sharp Shooter II Auto Notch • Disc/Notch Level Control • Ground Trac Ground Balance • Automatic Ground Balance Headphone Jack • LCD Battery Indicator • S-Rod Handle System with Stand • 8-Inch Open Face Coil System Retails: 349.95 Touchpad Control Selection - LCD Target Readout - LCD Depth Readout - 3-Tone Audio Discrimination - Notch **Land Star** Auto Notch - Disc/Notch Level Control - Ground Trac Ground Balance - Manual Ground Balance - Headphone Jack • LCD Battery Indicator • S-Rod Handle System with Stand • 8-Inch Open Face Coll System Retails: 449.95 100% Touchpad Control Selection Programmable Target ID Numbered Target Values All Metal Motion **Land Ranger** No-Motion Mode • Dual Target & Depth LCD Readout • 3-Tone Audio Discrimination • 4-Level Iron Discrimination • Microprocessor Circuitry • Smart Trac Ground Balance • Headphone Jack • LCD Battery Indicator • S-Rod Handle System with Stand • Includes 8-Inch Open-Face Coil System • 100% Touchpad Control Selection • Programmable Target ID • Numbered Target Values • All Metal Motion & No-Motion Mode • Dual Target & Depth LCD Readout • 3-Tone Audio Discrimination • 4-Level Iron Discrimination **Time Ranger**



STANDARD FEATURES of All Bounty Hunters:

Adjustable Aluminum Stem S-Rod Handle System Motion Discrimination

Waterproof Coil System Sensitivity Adjustment Requires Two 9-Volt Batteries (Not Included) 5-Year Limited Warranty

Find your Dealer on our Website: www.detecting.com

Or, call to find a dealer nearest you: 800-444-5994

Current Models Available with Features Listed

▼ FEATURES	Case Tag	Tracker.	Quict One	1	Tang Soler	Sa Condition	Time Ray	
LCD Target Readout				Strang Str	1	~	1	V
LCD Depth Readout				1		1	V	~
Intensity Meter System	V	./	V					
7 1/4" Waterproof Coll	./	1						
8" Waterproof Coll	-		V	1	1	U	./	1
2 Modes of Operation	V	./						
3 Modes of Operation	-		V	~	V			100000
4 Modes of Operation	7					V		
Programmable Operation							V	V
Touchpad Selection				4	V	V	V	V
3-Position Mode Switch			V					
Motion All Metal Mode	V	V	V	V		V	V	V
No-Motion All Metal Mode					V	V	V	V
2-Tone Audio Discrimination	V	4	V					
3-Tone Audio Discrimination				V	V	~	V	V
Low Battery Indicator			V		V	V	V	V
Target Discrimination	V	V	V	~	V	/	V	1
Variable Notch								
Auto Notch				V	V	V		
Notch Level Control				V	V	V		
Automatic Ground Balance	V	4	V		V		V	V
Manual Ground Balance								
Ground Monitor System							V	V
Sniff Mode								V
Blanker System								V
2 Auto Preset Modes							V	V
3 Level Iron Discrimination				~				
4 Level Iron Discrimination						./	.,	

Accessories

Bounty Hunter Headphones (39.95)

This set of headphones includes left/right individual volume controls. Stereo headphones with a 1/4-Inch Plug. These headphones are completely designed to be compatible with all current Bounty Hunter metal detectors. Read all safety precautions in your manual.

Bounty Hunter Carrying Bag (29.95)

A lightweight, superior quality nylon carrying bag that adapts to the full S-Rod Handle System. Has the Bounty Hunter logo on the side and is double-stitched. Includes an outside zip-up pocket. Protect your investment...keeps your detecting equipment from getting damaged by certain weather conditions.

Bounty Hunter Optional Search Coils

4-Inch Gold Nugget Coil: (49.95)

Perfect for coin-shooting in trashy areas.

10-Inch Magnum Coil: (59.95)

Improves depth for relic and cache hunting.

Bounty Hunter Search Coil Covers (9.95ea)

These coil covers will protect the bottom of your searchcoil from getting scratched or damaged. All current sizes are available: 8-Inch Open-Faced Coil Cover 4-Inch Close-Faced Coil Cover 10-Inch Open-Faced Coil Cover 7-Inch Close-Faced Coil Cover

Bounty Hunter Ball Cap (7.95)

Has the Bounty Hunter logo on front.