


# SAFETY DATA SHEET

## Rig Wash 100

Page: 1  
Printed: 03/21/2014  
Revision: 10/09/2012

Pumping Jack Chemicals, Inc.  
35203 E. 114th  
Earlsboro, OK 74840

HEALTH		1
FLAMMABILITY		0
PHYSICAL...		0
PPE		B



## 1. Product and Company Identification

**Product Code:** RIG WASH 100  
**Product Name:** Rig Wash 100  
**Trade Name:** Rig Wash  
**Manufacturer Information**  
**Company Name:** Pumping Jack Chemicals, Inc.  
**Phone Number:** (405)382-7930  
**Fax Number:** (405)382-1787  
**Emergency Contact:** Mike Atchley (405)659-0379  
**Alternate Emergency Contact:** Dawn Elder (405)659-1209  
**Email address:** pjc1521@yahoo.com

## 2. Hazards Identification

GHS Classification	Placard	Key word	GHS hazard phrase
Skin Corrosion/Irritation, Category 2	Exclamation point	Warning	Causes skin irritation
Serious Eye Damage/Eye Irritation, Category 2A	Exclamation point	Warning	Causes serious eye irritation

### GHS Hazard Phrases

H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation

### GHS Precaution Phrases

Wash hands thoroughly after handling. Wear protective gloves/clothing and eye/face protection as specified by the manufacturer/supplier or the competent authority.  
P280: Wear protective gloves/clothing and eye/face protection as specified by the manufacturer/supplier or the competent authority.  
Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.

### GHS Response Phrases

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.  
P370+378: In case of fire, use ... for extinction ... appropriate media specified by the manufacturer/supplier or the competent authority - if water increases risk.  
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P330: Rinse mouth.  
P321: Specific treatment (see ... on this label) ... reference to supplemental first aid instruction - if immediate administration of antidote is required.  
P302+352: IF ON SKIN: Wash with plenty of soap and water.  
P312: Call a POISON CENTER or doctor/physician if you feel unwell.  
P322: Specific measures (see ... on this label) ... reference to supplemental first aid instruction - if immediate measures such as specific cleansing agent is advised.  
P363: Wash contaminated clothing before reuse.  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P332+313: If skin irritation occurs, get medical advice/attention.

P362: Take off contaminated clothing and wash before re-use.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### **GHS Storage and Disposal Phrases**

P403+235: Store in cool/well-ventilated place.

P501: Dispose of contents/container to ... (in accordance with local/regional/national/international regulation).  
Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere.

#### **Potential Health Effects (Acute and Chronic)**

##### **Inhalation**

Some may be irritating if inhaled at high concentrations.

##### **Skin Contact**

May cause an allergic skin reaction

##### **Eye Contact**

Slightly irritating but does not injure eye tissue.

##### **Ingestion**

May cause irritation of the digestive tract.

#### **Medical Conditions Generally Aggravated By Exposure**

None known

### **3. Composition/Information on Ingredients**

<b>Hazardous Components (Chemical Name)</b>	<b>CAS #</b>	<b>Concentration</b>
1. Methanol	67-56-1	19.0 %
2. Poly(oxy-1,2-ethanediyl), alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched	127087-87-0	12.0 %

### **4. First Aid Measures**

#### **Emergency and First Aid Procedures**

Flush eyes with plenty of water for at least {15} minutes, occasionally lifting the upper and lower eyelids.  
Flush skin with plenty of water for at least {15} minutes while removing contaminated clothing and shoes.  
Do NOT induce vomiting. Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

##### **In Case of Inhalation**

Remove victim to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

##### **In Case of Skin Contact**

Flush with copious amounts of water for at least {15} minutes.

##### **In Case of Eye Contact**

In case of contact with eyes, flush with copious amounts of water for at least {15} minutes. Assure adequate flushing by separating the eyelids with fingers. Call or consult a physician if irritation persists.

##### **In Case of Ingestion**

Wash out mouth with water provided person is conscious. Call a physician immediately.

##### **Note to Physician**

Treat symptomatically and supportively.

##### **Signs and Symptoms Of Exposure**

Repeated skin contact may cause dermatitis.

## 5. Fire Fighting Measures

**Flash Pt:** > 200.00 F Method Used: TAG Closed Cup  
**Explosive Limits:** LEL: N/D UEL: N/D  
**Autoignition Pt:** > 500.00 C

### Fire Fighting Instructions

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

### Flammable Properties and Hazards

Material will not burn under normal circumstances.

### Hazardous Combustion Products

Carbon Dioxide and Carbon Monoxide

### Suitable Extinguishing Media

All purpose type foam for large fires.

### Unsuitable Extinguishing Media

Product will foam when mixed with water.

## 6. Accidental Release Measures

### Steps To Be Taken In Case Material Is Released Or Spilled

Use proper personal protective equipment as indicated in Section {8}. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Provide ventilation. Do not let this chemical enter the environment.

### Protective Precautions, Protective Equipment and Emergency Procedures

Goggles

### Environmental Precautions

Product will foam when mixed with water.

## 7. Handling and Storage

### Precautions To Be Taken in Handling

Use with adequate ventilation. Do not get in eyes, on skin or on clothing. Do not ingest or inhale.

### Precautions To Be Taken in Storing

Store in a cool, dry place. Store in a tightly closed container. Do not store in metal containers.

### Other Precautions

Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Do not store in metal containers. Do not reuse this container.

## 8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TWA	Other Limits
1. Methanol	67-56-1	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.
2. Poly(oxy-1,2-ethanediyl), alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched	127087-87-0	No data.	No data.	No data.

### Respiratory Equipment (Specify Type)

Use a NIOSH/MSHA or European Standard EN {149} approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### Eye Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in {29} CFR {1910.133} or European Standard EN166.

### Protective Gloves

Wear appropriate protective gloves to prevent skin exposure.

### Other Protective Clothing

None expected to be needed.

### Engineering Controls (Ventilation etc.)

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.  
Use adequate ventilation to keep airborne concentrations low.

### Work/Hygienic/Maintenance Practices

Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas	[ X ] Liquid	[ ] Solid
<b>Melting Point:</b>	< 20.00 C		
<b>Boiling Point:</b>	> 300.00 F		
<b>Autoignition Pt:</b>	> 500.00 C		
<b>Flash Pt:</b>	> 200.00 F Method Used: TAG Closed Cup		
<b>Explosive Limits:</b>	LEL: N/D UEL: N/D		
<b>Specific Gravity (Water = 1):</b>	1.003		
<b>Vapor Pressure (vs. Air or mm Hg):</b>	< 0.01		
<b>Vapor Density (vs. Air = 1):</b>	> 1.0		
<b>Evaporation Rate:</b>	< 0.01		
<b>Solubility in Water:</b>	Complete		
<b>Solubility Notes</b>	Completely soluble in water.		
<b>Percent Volatile:</b>	N.A.		
<b>Appearance and Odor</b>	Red Liquid alcohol-like.		

## 10. Stability and Reactivity

<b>Stability:</b>	Unstable [ ]	Stable [ X ]
<b>Reactivity</b>	None	
<b>Conditions To Avoid - Instability</b>	Stable as supplied.	
<b>Incompatibility - Materials To Avoid</b>	Metal Containers. Product may foam when mixed with water.	
<b>Hazardous Decomposition Or Byproducts</b>	Carbon Monoxide and Carbon Dioxide. Nitrogen oxides.	
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ]	Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions</b>	None Known.	

## 11. Toxicological Information

### Toxicological Information

Route of Exposure: Skin - May cause skin irritation. Skin absorption - May be harmful if absorbed through skin. Eye contact - May cause eye irritation. Inhalation - Harmful if swallowed.

**Chronic Toxicological Effects**

None

**Irritation or Corrosion**

Ocular

**Symptoms related to Toxicological Characteristics**

Moderate irritation effect . Eyes, skin.

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Methanol	67-56-1	n.a.	n.a.	n.a.	n.a.
2. Poly(oxy-1,2-ethanediyl), alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched	127087-87-0	n.a.	n.a.	n.a.	n.a.

**Carcinogenicity:**

NTP? No

IARC Monographs? No

OSHA Regulated? No

**12. Ecological Information****General Ecological Information**

Biodegradation - Material expected to be readily biodegradable. Hydrolysis - Material transformation to Hydrolysis not expected to be significant. Photolysis - Material transformation due to Photolysis not expected to be significant. Atmospheric Oxidation - Material expected to degrade rapidly in air.

**13. Disposal Considerations****Waste Disposal Method**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in {40} CFR Parts {261.3}. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**14. Transport Information****LAND TRANSPORT (US DOT)****Packing Group:** III**Additional Transport Information**

This product is not regulated by the DOT in non-bulk shipments of amounts of less than 100,000 lbs (Methanol)

**15. Regulatory Information****Regulatory Information**

Ecological injuries are not known or expected under normal use. An environmental hazard can not be excluded in the event of unprofessional handling or exposure.

**16. Other Information**

All information appearing herein is based on data obtained from recognized technical sources. While the information is believed to be accurate, Pumping Jack Chemicals makes no representations as to its accuracy or its sufficiency. Conditions of use are beyond our control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their purpose and they assume all risks of their use, handling, and disposal of the product are from the publication or use of or reliance upon information contained herein. For industrial use only.

**Revision Date:** 10/09/2012